


REBITES DE ALUMÍNIO COM MANDRIL DE AÇO INOX

Rebites de Repuxo Padrão (cabeça abaulada)

Corpo: alumínio liga 5005, **NATURAL**

Mandril: aço inox, polido



Linha	Rebite (D x L) mm	Código (embalagem)	Diâmetro corpo +0,08 - 0,10 mm	Comprimento corpo +0,8 - 0,2 (mm)	Espessura Rebitável (mm)	Diâmetro Aba (mm)	Tração (kgf)	Cisalhamento (kgf)
3,2 Dia.furo 3,3 mm	3,2 x 5,5	6330530.01000	3,2	5,5	1,0 - 3,0	6,3 +0,5 - 0,3	64	46
	3,2 x 8	6331029.01000		8,0	3,5 - 5,0			
	3,2 x 10	*		10,0	5,0 - 7,0			
	3,2 x 12	6331838.01000		12,0	7,0 - 9,0			
	3,2 x 15	6332422.01000		15,0	9,0 - 11,5			
	3,2 x 18	*		18,0	12,0 - 15,0			
4,0 Dia.furo 4,1 mm	4,0 x 07	6340809.01000	4,0	7,0	2,0 - 3,0	7,5 +0,5 - 0,3	108	79
	4,0 x 10	6341467.01000		10,0	5,0 - 6,5			
	4,0 x 12	6341806.01000		12,0	6,5 - 8,0			
	4,0 x 15	6342436.01000		15,0	8,0 - 11,0			
	4,0 x 21	6343523.01000		21	14,0 - 16,5			
4,8 Dia.furo 4,9 mm	4,8 x 08	*	4,8	8,0	2,5 - 4,0	9,3 +0,5 - 0,3	153	107
	4,8 x 10	6351433.00500		10,0	4,0 - 6,0			
	4,8 x 12	6351849.00500		12,0	6,0 - 8,0			
	4,8 x 14	*		14,0	8,0 - 10,0			
	4,8 x 16	6352650.00500		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 15,0			
	4,8 x 24	*		24,0	16,0 - 19,0			
6,2 Dia.furo 6,3 mm	6,2 x 10	*	6,2	10,0	3,0 - 5,0	11,0 +0,7 - 0,5	293	208
	6,2 x 12	*		12,0	5,0 - 7,0			
	6,2 x 14	*		14,0	6,0 - 8,0			
	6,2 x 16	*		16,0	8,0 - 10,0			
	6,2 x 18	*		18,0	10,0 - 12,0			
	6,2 x 22	*		22,0	12,0 - 16,0			
	6,2 x 25	6383909.00250		25,0	16,0 - 19,0			
	6,2 x 30	6384408.00250		30,0	19,5 - 24,0			

* consulte


** para outras medidas, materiais e cores: consulte nossa equipe.

REBITES DE ALUMÍNIO COM MANDRIL DE AÇO INOX

Rebites de Repuxo Padrão (cabeça abaulada)

Corpo: alumínio liga 5052, **NATURAL**

Mandril: aço inox, polido



Linha	Rebite (D x L) mm	Código (embalagem)	Diâmetro corpo +0,08 - 0,10 mm	Comprimento corpo +0,8 - 0,2 (mm)	Espessura Rebitável (mm)	Diâmetro Aba (mm)	Tração (kgf)	Cisalhamento (kgf)
3,2 Dia.furo 3,3 mm	3,2 x 8	*	3,2	8,0	3,5 - 5,0	6,3 +0,5 - 0,3	64	46
	3,2 x 10	6331448.01000		10,0	5,0 - 7,0			
	3,2 x 12	*		12,0	7,0 - 9,0			
	3,2 x 15	*		15,0	9,0 - 11,5			
	3,2 x 18	*		18,0	12,0 - 15,0			
4,0 Dia.furo 4,1 mm	4,0 x 08	6341048.01000	4,0	8,0	3,0 - 5,0	7,5 +0,5 - 0,3	108	79
	4,0 x 10	6341479.01000		10,0	5,0 - 6,5			
	4,0 x 12	6341859.01000		12,0	6,5 - 8,0			
	4,0 x 15	*		15,0	8,0 - 11,0			
	4,0 x 18	*		18,0	11,5 - 14,0			
4,8 Dia.furo 4,9 mm	4,8 x 08	6351030.00500	4,8	8,0	2,5 - 4,0	9,3 +0,5 - 0,3	153	107
	4,8 x 10	*		10,0	4,0 - 6,0			
	4,8 x 12	6351850.00500		12,0	6,0 - 8,0			
	4,8 x 14	6352223.00500		14,0	8,0 - 10,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 15,0			
4,8 x 24	*	24,0	16,0 - 19,0					
6,0 Dia.furo 6,1 mm	6,0 x 08	6371001.00500	6,0	8,0	2,0 - 3,0	11,0 +0,7 - 0,5	270	191
	6,0 x 10	6371405.00500		10,0	3,0 - 5,0			
	6,0 x 12	6371802.00500		12,0	5,0 - 7,0			
	6,0 x 16	6372601.00500		16,0	8,0 - 10,0			
	6,0 x 18	6373001.00500		18,0	10,0 - 12,0			
6,2 Dia.furo 6,3 mm	6,2 x 10	*	6,2	10,0	3,0 - 5,0	11,0 +0,7 - 0,5	293	208
	6,2 x 12	*		12,0	5,0 - 7,0			
	6,2 x 14	*		14,0	6,0 - 8,0			
	6,2 x 16	*		16,0	8,0 - 10,0			
	6,2 x 18	*		18,0	10,0 - 12,0			
	6,2 x 22	*		22,0	12,0 - 16,0			
	6,2 x 25	*		25,0	16,0 - 19,0			
	6,2 x 30	*		30,0	19,5 - 24,0			

* consulte


** para outras medidas, materiais e cores: consulte nossa equipe.

REBITES DE ALUMÍNIO COM MANDRIL DE INOX - ABA GRANDE

Rebites padrão (cabeça grande abaulada)

Corpo: alumínio liga 5005, NATURAL

Mandril: aço inox, polido



Linha	Rebite (D x L) mm	Código (embalagem)	Diâmetro corpo +0,08 - 0,10 mm	Comprimento corpo +0,8 -0,2 (mm)	Espessura Rebitável (mm)	Diâmetro Aba (mm)	Tração (kgf)	Cisalhamento (kgf)
3,2 Dia.furo 3,3 mm	3,2 x 8	*	3,2	8,0	3,5 - 5,0	9,0 +0,3 -1,0	64	46
	3,2 x 10	*		10,0	5,0 - 7,0			
	3,2 x 12	*		12,0	7,0 - 9,0			
	3,2 x 15	*		15,0	9,0 - 11,5			
4,0 Dia.furo 4,1 mm	4,0 x 06	*	4,0	6,0	1,0 - 2,5	9,0 +0,5 -1,0	108	79
	4,0 x 08	*		8,0	3,0 - 4,5			
	4,0 x 12	*		12,0	5,0 - 6,5			
	4,0 x 15	*		15,0	6,5 - 8,0			
	4,0 x 18	*		18,0	11,5 - 14,0	11,0 +0,5 -1,0		
	4,0 x 8	*		8,0	3,0 - 4,5			
	4,0 x 10	*		10,0	5,0 - 6,5			
	4,0 x 12	*		12,0	6,5 - 8,0			
4,0 x 15	*	15,0	8,0 - 11,0					
4,8 Dia.furo 4,9 mm	4,8 x 08	*	4,8	8,0	2,5 - 4,0	11,0 +0,5 -0,1	153	107
	4,8 x 10	*		10,0	4,0 - 6,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 14	*		14,0	8,0 - 10,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 15,0	13,0 +0,5 -0,1		
	4,8 x 10	*		10,0	4,0 - 6,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 14	*		14,0	8,0 - 10,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 16,0	16,0 +0,5 -0,1		
	4,8 x 24	*		24,0	16,0 - 19,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 20	*		20,0	11,0 - 15,0			
	4,8 x 25	6353902.00250		25,0	16,0 - 19,0			
4,8 x 30	*	30,0	22,0 - 24,5					
6,2 Dia.furo 6,3 mm	6,2 x 12	*	6,2	12,0	5,0 - 7,0	13,0 / 16,0 +0,5 -1,0	293	208
	6,2 x 16	6392601.00250		16,0	8,0 - 10,0			
	6,2 x 18	*		18,0	10,0 - 12,0			
	6,2 x 22	*		22,0	12,0 - 16,0			
	6,2 x 25	*		25,0	16,0 - 19,0			
	6,2 x 30	*		30,0	19,5 - 24,0			
	6,2 x 35	*		35,0	24,0 - 29,0			

*consulte


**para outras medidas, materiais e cores: consulte nossa equipe.

REBITES DE ALUMÍNIO COM MANDRIL DE INOX - ABA GRANDE

Rebites padrão (cabeça grande abaulada)

Corpo: alumínio liga 5052, **NATURAL**

Mandril: aço inox, polido



Linha	Rebite (D x L) mm	Código (embalagem)	Diâmetro corpo +0,08 - 0,10 mm	Comprimento corpo +0,8 - 0,2 (mm)	Espessura Rebitável (mm)	Diâmetro Aba (mm)	Tração (kgf)	Cisalhamento (kgf)
3,2 Dia.furo 3,3 mm	3,2 x 8	*	3,2	8,0	0,5 - 5,0	9,0 +0,3 - 1,0	107	76
	3,2 x 10	*		10,0	5,0 - 7,0			
	3,2 x 12	*		12,0	7,0 - 9,0			
	3,2 x 15	*		15,0	19,0 - 12,0			
4,0 Dia.furo 4,1 mm	4,0 x 06	*	4,0	6,0	0,5 - 2,0	9,0 +0,5 - 1,0	203	132
	4,0 x 08	*		8,0	2,0 - 4,0			
	4,0 x 12	*		12,0	6,0 - 8,0			
	4,0 x 15	*		15,0	8,0 - 11,0			
	4,0 x 18	*		18,0	11,0 - 14,0	11,0 +0,5 - 1,0		
	4,0 x 08	*		8,0	2,0 - 4,0			
	4,0 x 10	*		10,0	4,0 - 6,0			
	4,0 x 12	*		12,0	6,0 - 8,0			
4,0 x 15	*	15,0	8,0 - 11,0					
4,8 Dia.furo 4,9 mm	4,8 x 08	*	4,8	8,0	2,5 - 4,0	11,0 +0,5 - 0,1	276	171
	4,8 x 10	*		10,0	4,0 - 6,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 14	*		14,0	8,0 - 10,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 15,0	13,0 +0,5 - 0,1		
	4,8 x 10	*		10,0	4,0 - 6,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 14	*		14,0	8,0 - 10,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 18	*		18,0	12,0 - 13,5			
	4,8 x 21	*		21,0	13,0 - 16,0	16,0 +0,5 - 0,1		
	4,8 x 24	*		24,0	16,0 - 19,0			
	4,8 x 12	*		12,0	6,0 - 8,0			
	4,8 x 16	*		16,0	10,0 - 12,0			
	4,8 x 20	*		20,0	11,0 - 15,0			
	4,8 x 25	*		25,0	16,0 - 19,0			
4,8 x 30	*	30,0	22,0 - 24,5					
6,2 Dia.furo 6,3 mm	6,2 x 12	*	6,2	5,0 - 7,0	5,0 - 7,0	16,0 +0,5 - 1,0	462	323
	6,2 x 16	*		8,0 - 10,0	8,0 - 10,0			
	6,2 x 18	*		10,0 - 12,0	10,0 - 12,0			
	6,2 x 22	*		12,0 - 16,0	12,0 - 16,0			
	6,2 x 25	*		16,0 - 19,0	16,0 - 19,0			
	6,2 x 30	*		19,5 - 24,0	19,5 - 24,0			
	6,2 x 35	*		24,0 - 29,0	24,0 - 29,0			

*consulte

**para outras medidas, materiais e cores: consulte nossa equipe.